

Europäisches Patentamt

European Patent Office

Office européen des brevets



(11) EP 0 791 576 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:27.08.1997 Bulletin 1997/35

(21) Application number: 96118040.3

(22) Date of filing: 11.11.1996

(51) Int. Cl.⁶: **C07C 235/60**, C07C 233/54,

C07C 235/64, C07C 235/38,

C07C 323/63, C07C 311/08,

C07C 311/21, C07C 323/41,

A61K 31/195

(84) Designated Contracting States:
AT BE CH DE DK ES FI FR GB GR IE IT LI LU MC
NL PT SE

(30) Priority: 23.11.1995 GB 9523946

(71) Applicant: BAYER AG 51368 Leverkusen (DE)

(72) Inventors:

 Smyth Abram, Trevor, Dr. Marlow Bucks, SL7 3PR (GB) Cuthbert, Nigel James, Dr. Hogshaw, Bucks, MK18 3LA (GB)

Francis, Hilary Patricia, Dr.
 Wokingham, Berks, RG41 5JS (GB)

 Gardiner, Phillip John, Dr. HIgh Wycombe Bucks (GB)

 Norman, Peter, Dr. Burnham, Bucks, SL1 8JW (GB)

 Tudhope, Stephen Richard, Dr. Windsor, Berks, SL4 4JH (GB)

(54) Leukotriene antagonistic benzoic acid derivatives

(57) The invention relates to benzoic acid derivatives being leukotriene antagonists. The compounds therefore are suitable as active ingredients in medicaments particularly in medicaments for the treatment of respiratory diseases.

EP 0 791 576 A2

Example 36

5

5-aza-6-(5-carboxy-2-(3-[3-{4-phen xybutoxy}phenyl]pr p xy)phenyl)-6-oxohexanoic acid

10 CO,H 15

This was prepared from 3-[3-{4-phenoxybutoxy}phenyl]propyl bromide and the product of Example 4a following the 20 procedure of Examples 4b and 4c.

HPLC T_R: 4.1 min, 70:30:01.

Ester: ¹H-NMR (CDCl₃)δ: 1.8-2.2 (8H,m), 2.3 (2H,t)2.75 (2H,t), 3.45 (2H,t), 3.56 (3H,s), 3.8-4.3 (6H,m), 6.7-7.4 (10H,m), 7,8 (1H,m), 8.10 (1H,dd), 8.70 (1H,d).

Claims

25

35

45

50

1. Benzoic acid derivatives of the formula (I)

30

(I) 40

where

 R^1 represents hydrogen, alkyl having up to 6 carbon atoms or represents substituted phenyl,

P and Q each represent oxygen, sulfur or a bond,

Х represents oxygen, sulfur or -CONH-,

Т represents an ethylene group, oxygen, sulfur or a bond,

represents a group -COOH, -NHSO2R3 or -CONHSO2R3 Υ

wherein 55

> \mathbb{R}^2 denotes hydrogen, halogen, trifluoromethyl, trifluoromethoxy, nitro, cyano or denotes alkyl or alkoxy,

and

EP 0 791 576 A2

		z	represents a group of the formula -COOH, COR 4 , -CO(CH $_2$) $_p$ CO $_2$ H, -O(CH $_2$) $_p$ CO $_2$ H, -S(CH $_2$) $_p$ CO $_2$ H, NO $_2$, -CONHWCO $_2$ H or -NHWCO $_2$ H	
5		wherein		
		R ²	has the above mentioned meaning,	
		\mathbb{R}^3	denotes trifluoromethyl, alkyl or optionally substituted phenyl,	
10		R ⁴	represents a group of the formula WCO ₂ H or alkyl,	
		р	is an integer from 0 to 5 and	
15		w	denotes phenylene, an alkylene group having up to 8 carbon atoms, which is optionally substituted by alkylor cycloalkyl each having up to 6 carbon atoms or denotes a group -CO(CH_2) _q - or -(CH_2) _q - where	
20		q	is an integer from 0 to 5	
		m	is an integer from 0 to 6	
		and		
25		n	is an integer from 0 to 4	
		and salts thereof.		
2. Benzoic acid derivatives of the formula according to Claim 1, wherein				
		R ¹	represents hydrogen,	
35		P and	Q represent oxygen,	
35		X	represents oxygen sulfur or -NH-,	
40		Т	represents a bond,	
		Υ	represents a group -COOH and/or	
		Z	has the abovementioned meaning	
45		m	represents an integer H	
		and th	neir salts.	
50	3.	Benzoic acid derivatives of the formula according to Claim 1, wherein		
		R ¹	represents hydrogen,	
		P and	Q represent oxygen,	
55		T	represents a bond,	

Х

Υ

represents oxygen,

represents a group -COOH,

EP 0 791 576 A2

m is an integer 4,

n is an integer 3

5 and

- Z represents a group -CONH(CH₂)_qCO₂H, -NHCO(CH₂)_qCO₂H or -CONHC₆H₄CO₂H where
- q is an integer 0 to 5

and salts thereof.

4. Benzoic acid derivatives of the formula (lb)

20 XCO₂F

wherein

30

35

40

45

50

55

X represents $CONH(CH_2)_q$, $NHCO(CH_2)_q$ or $O(CH_2)_q$ and

Z represents carboxylic acid, NHSO₂R² or CONHSO₂R², where

R₂ represents C₁-C₄-alkyl or phenyl,

and

q is an integer 1 to 5

and salts thereof.

- 5. Benzoic acid derivatives according to Claim 1 to 4 for therapeutic use.
- 6. A process for the preparation of benzoic acid derivatives according to Claim 1 to 4, characterized in that compounds of the general formula (II)

 $P(CH_2)_mQ$ $T(CH_2)_m-Hal$ (II)

wherein

Hal denotes chlorine, bromine or iodine

are reacted in the presence of an inert solvent, optionally in the presence of a base with compounds of the formula

EP 0 791 576 A2

$$HX - \begin{pmatrix} & & & \\ & & & \\ & & & \end{pmatrix}$$
 (III)

and optionally the functional groups Y and Z are transformed by methods known in the art.

- 7. Medicaments containing at least one benzoic acid derivative according to Claim 1 to 4.
- 8. Medicaments according to Claim 7, for the treatment of respiratory diseases.

- 5 9. The use of benzoic acid derivatives according to Claim 1 to 4, for the preparation of medicaments.
 - 10. The use according to Claim 9, for the preparation of medicaments for the treatment of respiratory diseases.